

RUBBER AND INDUSTRIAL
SUPPLY INCORPORATED

201-368-1008

140 Woodland Ave. Rochelle Park NJ 07662

Catalog 24



Action Rubber and Industrial Supply Incorporated

140 Woodland Avenue Rochelle Park New Jersey 07662

Tel: 201 368 1008 Fax: 201 368 8812

www.actionrubbernj.com

Terms and Conditions of Sale

Freight	FOB Seller's shipping point. Freight collect except as allowed in accordance with Seller's prepaid requirements. No allowances for Next Day air freight, Federal Express, or any special shipping arrangements.
Minimum Order	\$25.00 NET
Terms	Net 30 Days, a 2% service charge will be applied to all accounts more than 30 days past due. A 3% service Charge is applied to credit card purchases over 10 days.
Claims of Shortages or Variance	Claims of any nature must be made within 10 days after receipt of goods. Settlements of any claims are at the discretion of Seller.
Returns	An RGA must be obtained when goods are returned. Credit will only be issued for material returned in saleable condition. A 20% restocking fee will apply. Return freight is at buyer's expense
Confirmations	All orders are subject to acceptance by seller. Possession of literature does not entitle entity to purchase products.
Warranty	Seller warrants that its products and materials shall be free from defects in material and workmanship under normal use and service. The seller's liability and the purchaser's remedies shall be limited to the replacement of or repair of goods purchased. The seller may, at its option, refund purchase price. The seller and manufacturer shall in no event be liable for any special, direct, indirect, incidental or consequential damages. All other warranties, express or implied, including without limitation any broader warranty of merchantability and/or any warranty of fitness for a particular purpose, are excluded by and for both seller and manufacturer.
Price	All prices are subject to change without prior notice.
Cancellation	All orders for special hose and custom assemblies are non-cancelable and non-returnable.



PNEUMATIC ASSEMBLIES

Jack Hammer Hose

Oil resistant rubber tube, two braid polyester spiral reinforcement or 2 steel wire braids.



ID	Part Number	PSI	Color	Price Foot	Price/50Ft Univ. 2 Bands Per End
Action Series 100					
3/4	1007550	200	Red	2.85	150.00
1	1001050	200	Red	4.50	235.00



Action Series 110					
3/4	1107550	300	Red	3.00	171.00

Action Series 120					
3/4	1207550	300	Yellow	3.60	194.00

Action Series 130 - Green, Series 135 - Blue					
3/4	1307550	250	Green	4.50	240.00
3/4	1357550	250	Blue	4.50	240.00



Action Series 140 Wire Braid					
3/4	1407550	600	Yellow	4.95	270.00
1	1401050	600	Yellow	8.55	444.00

Air Hose Assemblies, Shop Air Lines

Action Series 100 General Purpose

Air Hose. Assemblies are coupled with brass males on each end, Thread size must be specified on 3/8 hose, either 1/4 or 3/8 NPT.



ID	Part Number	25 Ft. Length MxM	50 Ft. Length MxM	100 Ft. Length MxM
1/4	10025	43.00	74.50	137.50
3/8	10038	56.00	98.00	181.50
1/2	10050	60.00	120.00	219.60

Action Series 170 Whip Hose

Textile braid or wire braid reinforced for higher working pressure.



ID	Part Number	PSI	6 Foot Univ. x Male	10 Foot Univ. x Male	10 Foot Univ. x Bent Swivel
1/2	17008A	300	44.00	57.00	110.00
1/2	17008B	600	56.40	79.00	132.00

Wire Braid Rock Drill Hose

Action Series 140

Yellow abrasion resistant cover with black nitrile tube. Rated @ 200° F.



ID	Part Number	PSI	Color	Price Foot	Price/50Ft Ground Joint Female Each end
1/2	14050	600	Yellow	5.66	400.44
3/4	14075	600	Yellow	5.84	406.50
1	14010	600	Yellow	8.55	608.26
1 1/4	14012	500	Yellow	11.10	847.88
1 1/2	14015	500	Yellow	13.70	1020.50
2	14020	600	Yellow	15.90	1199.00
2 1/2	14025	400	Yellow	21.00	1699.00
3	14030	400	Yellow	27.00	2165.00
4	14040	400	Yellow	42.00	3948.00

Action Series 145

Black carboxylated cover, nitrile tube. Rated @ 250° F.




ID	Part Number	PSI	Color	Price Foot	Price/50Ft Ground Joint Female Each end
1 1/2	14515	600	Black	40.00	2298.00
2	14520	600	Black	47.31	2753.00
3	14530	600	Black	65.13	4105.00
4	14540	500	Black	101.43	7196.00

Boss Fittings

Ground Joint

Positive Metal-to-Polymer Seal

- A leakproof seal is formed when the metal head of the stem makes contact with the patented polymer seat in the spud.
- The non-metallic polymer seat resists most chemicals found in manufacturing facilities.
- Recommended for steam service up to 450°F
- Easy to seal
- Works with existing fittings
- Use with Boss clamps



Size	Part Number	Price	Part Number	Price	Part Number	Price	Part Number	Price
1 1/2	GF61	117.35	GB23	52.36	GM23	63.96	GDB23	76.32
2	GF81	162.04	GB28	53.45	GM28	71.99	GDB28	85.10
2 1/2	GF96	288.55	GB33	118.65	GM33	157.78	GDB33	169.98
3	GF111	337.94	GB38	134.65	GM38	169.98	GDB38	176.62
4	GF141	654.69	GB48	216.74	GM48	256.00	GDB48	486.00
6	GF201	1400.00	GB68	671.72	---	---	---	---

AIR HOSE

Action Series 100/110

General Purpose Air Hose

EDPM tube and red/black cover provides mild oil and excellent ozone resistance.



ID	Part Number	PSI	Reel Length	Price Foot
1/4	10025	300	800	1.40
5/16	10031	300	600	1.42
3/8	10038	300	700	1.86
1/2	10050	300	700	2.20
5/8	10058	200	700	2.84
3/4	10075	200	700	2.90
3/4	11075	300	700	3.20
1	10010	200	700	4.78
1 1/4	10012	200	700	10.10
1 1/2	10015	200	300	11.40
2	10020	150	300	17.70

Action Series 150

Multi Purpose Air Hose Red

Nitrile Tube and Cover, excellent oil resistance.



ID	Part Number	PSI	Reel Length	Price Foot
1/4	15025	300	600	3.06
3/8	15038	300	600	3.77
1/2	15050	300	500	5.10
3/4	15075	300	400	7.41
1	15010	300	300	10.17

Action Series 143

Multi-Purpose Hose

High quality nitrile tube and special formulated oil resistant cover.



ID	Part Number	PSI	Reel Length	Price Foot
1/4	14325	500	500'	5.60
3/8	14338	500	500'	6.96
1/2	14350	500	500'	9.44
3/4	14375	500	500'	12.40
1	14310	500	400'	18.24

Action Series 160

Lightweight PVC Poly Air Hose

PVC Tube and Cover, with rubber like properties.



ID	Part Number	PSI	Reel Length	Price Foot
1/4	16025	300	500'	1.10
3/8	16038	300	500'	1.20
1/2	16050	300	300'	2.02
3/4	16075	300	300'	3.20
1	16010	300	200'	4.00

SUCTION HOSE

Action Rubber offers suction hose designed for construction, mining, marine and irrigation purposes. We also supply lightweight and flexible hose ideal for septic handling. In addition, we carry hose for applications requiring suction of abrasion resistant materials such as rock, gravel, cement and sand.

Water Suction Hose

Action Series 200

Black Rubber Suction with wire helix.
EDPM/SBR tube and cover.



ID	Part Number	Price Foot	Price 20 Ft. MxF	Price 20 Ft. C x Male
1 1/2	20015	7.50	186.00	203.60
2	20020	8.10	206.50	222.20
2 1/2	20025	12.00	325.30	333.30
3	20030	11.80	316.30	346.80
4	20040	18.00	499.40	535.90
6	20060	42.00	1213.40	1280.40

Action Series 210/215

210 PVC Green Suction with PVC wire helix.
215 PVC Clear Suction with PVC wire helix.



ID	Part Number	Price Foot	Price 20 Ft. MxF	Price 20 Ft. C x Male
3/4	21075	2.12	70.00	70.66
1	21010	2.82	80.40	86.40
1 1/4	21012	2.90	94.50	94.50
1 1/2	21015	3.00	96.00	113.60
2	21020	4.00	124.50	140.00
2 1/2	21025	8.06	246.50	254.50
3	21030	6.45	209.30	239.80
4	21040	10.68	353.00	439.50
6	21060	33.00	1035.40	1100.40

Action Series 220

Multiflex EPDM Suction Hose.
Rubber and plastic blend offers greater flexibility.



ID	Part Number	Price Foot	Price 20 Ft. MxF	Price 20 Ft. C x Male
1 1/2	22015	3.34	142.50	160.40
2	22020	7.72	198.91	214.40
2 1/2	22025	12.12	327.70	335.74
3	22030	14.55	371.90	420.40
4	22040	24.36	626.60	663.10
6	22060	46.56	1100.00	1371.60

Action Series 230

HI-VAC Suction Hose - Bumble Bee
Superior flexibility for vacuum service.
Fatigue/wear resistant and very flexible. Smooth interior for better flow efficiency.
Overmoulded cuff eliminates leaking, cuff will not separate.



ID	Part Number	Price Foot	Price 20 Ft. MxF	Price 20 Ft. C x Male	repair cuffs
1 1/2	23015	11.52	266.20	283.80	22.06
2	23020	15.04	381.10	389.20	26.46
3	23030	22.24	525.10	555.60	33.08
4	23040	38.58	911.00	947.50	N/A

*3" x 36" Sewer Hose Guide with 3' Rope \$110.00

SUCTION HOSE

Water Suction Hose

Action Series 240

Kanaline SR Suction Hose.
Kanaline SR Suction Hose. Clear reinforced PVC corrugated for flexibility.



ID	Part Number	Price Foot	Price 20 Ft. MxF	Price 20 Ft. C x Male
1 1/2	24015	9.27	216.00	233.60
2	24020	11.10	248.50	264.00
3	24030	13.17	332.50	362.80
4	24040	19.71	506.60	543.10
6	24060	40.35	1129.40	1196.40

Oil Suction Hose

Action Series 250

Tank Truck Oil Hose.

SAE 100R4 Return Hose. Sizes 3/4" to 1 1/4" ID.
(3/4" - 1 1/4" 250 PSI) (1 1/2" - 4" 150 PSI)



ID	Part Number	Price Foot	Price 20 Ft. C x E
3/4	25075	9.42	212.40
1	25010	9.72	224.40
1 1/4	25012	12.50	307.60
1 1/2	25015	14.80	349.60
2	25020	16.80	396.20
2 1/2	25025	28.84	670.10
3	25030	24.34	597.60
4	25040	32.00	815.90

Action Series 260

Corrugated Oil Suction Hose.

Nitrile rubber tube and corrugated cover for flexibility.



ID	Part Number	Price Foot	Price 20 Ft. C x E
2	26020	19.23	444.80
3	26030	29.79	706.60
4	26040	38.25	940.90

Action Series 270

Lite Drop Corrugated Oil Suction Hose.

Nitrile rubber tube with a corrugated PVC external helix.

150 PSI D.O.T. approved.



ID	Part Number	Price Foot	Price 20 Ft. C x E
2	27020	30.24	664.80
3	27030	39.78	906.40
4	27040	52.02	1215.90

Action Series 272

Clear urethane drop hose.

External PVC helix and static wire.



ID	Part Number	Price Foot	Price 20 Ft. C x E
4	27240	55.00	1269.00

Action Series 275

Clear vapor recovery hose.

Internal Static wire.



ID	Part Number	Price Foot	Price 20 Ft. C x Probe
3	27530	16.50	435.00
4	27540	21.00	505.00

DISCHARGE HOSE

Action Rubber offers discharge hoses designed to handle a wide range of water discharge applications for construction, agricultural and industrial service.

Action Series 310

Mill Discharge Hose

A durable lay flat water discharge hose. Will not absorb water. Rated @ 200 PSI. Coupled with pin lug M x F and camlock C x E.



ID	Part Number	Price Foot	50 Ft. Length MxF	50 Ft. Length CxE
1 1/2	31015	1.73	122.40	140.10
2	31020	2.29	159.20	174.50
2 1/2	31025	2.34	202.10	210.30
3	31030	3.46	253.12	283.80
4	31040	5.23	401.06	437.40
6	31060	6.39	692.90	759.90

Action Series 315

Double Jacket Mill Hose

Additional jacket for greater abrasion resistance. Coupled with pin lug M x F and camlocks C x E. Expansion ring couplings (NPSH & NST) are available on request.



ID	Part Number	Price Foot	50 Ft. Length M x F	50 Ft. Length C & E
1 1/2	31515	2.86	179.00	196.60
2	31520	3.00	194.50	210.20
2 1/2	31525	3.84	277.30	285.30
3	31530	P.O.A.	N/A	N/A
4	31540	P.O.A.	N/A	N/A

Action Series 320

Nuflo PVC Discharge Hose.

Blue in color, economically priced yet durable.



ID	Part Number	Price Foot	25 Ft. Length MxF	50 Ft. Length MxF	50 Ft. Length CxE
1 1/2	32015	1.10	53.98	80.00	90.00
2	32020	1.20	63.32	91.00	100.40
2 1/2	32025	2.70	122.74	169.00	177.00
3	32030	2.30	117.80	150.50	170.80
4	32040	3.10	184.36	252.00	269.00
6	32060	6.30	530.90	688.40	755.00
8	32080	12.00	P.O.R	P.O.R	1738.00
10	320100	35.00	P.O.R.	P.O.R.	P.O.R.

Action Series 340

Red Heavy Duty Discharge Hose

Premium quality discharge hose rated @ 125 PSI working pressure. 6" rated @ 115 PSI.



ID	Part Number	Price Foot	25 Ft. Length MxF	50 Ft. Length MxF	50 Ft. Length CxE
1 1/2	34015	2.34	94.50	153.00	170.60
2	34020	3.10	122.00	199.50	215.00
2 1/2	34025	5.40	220.30	355.30	363.30
3	34030	4.80	200.30	320.30	350.80
4	34040	6.80	429.40	479.40	515.90
6	34060	11.00	648.40	923.40	990.40

DISCHARGE HOSE

Action Series 350

High Pressure Discharge Jett Hose.

Nitrile tube and ribbed cover rated @ 300 PSI working pressure.



ID	Part Number	Price Foot	50 Ft. Length MxF	50 Ft. Length CxE
1 1/2	35015	6.30	351.00	368.60
2	35020	7.50	449.50	435.00
2 1/2	35025	9.22	546.30	554.30
3	35030	12.24	692.30	722.80
4	35040	15.92	935.40	971.90
6	35060	30.00	1873.40	1940.40

Action Series 360

SJ/DJ Industrial Fire Hose.

Single jacket and double jacket with expansion ring couplings.



ID	Part Number	Test Pressure	Price 50 Ft. M x F NPSH	Price 50 Ft. M x F NST
Single Jacket				
1 1/2	36015SJ	300	264.00	264.00
2	36020SJ	300	360.00	N/A
2 1/2	36025SJ	300	423.00	423.00
Double Jacket				
1 1/2	36015DJ	800	321.00	321.00
2 1/2	36025DJ	800	490.50	490.50

Action Series 370

2 Ply Reinforcement

Action Series 380

4 Ply Reinforcement



ID	Part Number	Piles	PSI	Price Foot	Price 50 Ft. MxF	Price 50 Ft. CxE
Series 370						
1 1/4	37012	2	200	5.70	321.50	328.50
1 1/2	37015	2	200	5.88	338.50	347.60
2	37020	2	150	8.14	451.50	500.30
3	37030	2	100	12.10	685.30	715.80
4	37040	2	100	16.26	952.40	988.90
6	37060	2	100	27.30	1738.40	1805.40
Series 380						
1 1/2	38015	4	200	9.92	504.70	552.00
2	38020	4	200	13.19	667.00	722.00
2 1/2	38025	4	200	14.86	786.30	794.30
3	38030	4	150	16.48	857.30	887.80
4	38040	4	150	22.57	1204.40	1240.90
6	38060	4	150	39.00	2323.40	2390.40

Black & Red Contractors Water Hose

Action Series 180

Coupled with machined brass Male x Female GHT thread 1" Male x Female coupling has NPSH thread. Rated at 150° F
All hoses have a 3:1 burst pressure.



ID	Part Number	Price Foot	25 Ft. Length MxF	50 Ft. Length MxF	100 Ft. Length MxF
5/8	18058	1.98	70.00	110.00	220.00
3/4	18075	2.19	75.00	130.00	260.00
1	18010	4.29	147.00	254.50	469.00

Concrete Cutter Hose

Action Series 197

Red concrete cutter water hose coupled with machined brass Male x Female GHT, 1" NPSH Thread.
1/2" 300 PSI, other sizes 200PSI 4:1 burst pressure.



ID	Part Number	Price 25 Ft. Length	Price 50 Ft. Length	Price 100 Ft. Length
1/2	19750	40.24	134.00	244.00
5/8	19763	95.00	166.00	332.00
3/4	19775	95.00	169.00	340.00
1	19710	155.50	271.00	502.00

Garden Hose Couplings

Male x Female



Size	3/8	1/2	5/8	3/4	1
Part	BC73	BC74	BC75	BC76	CBC88
Price	24.00	24.00	24.00	24.00	40.00

Twin Valve



GHY-V	22.00
-------	-------

Nozzles



Twist	Trigger	Insulated
BTN75	CSN75	SN75
39.30	19.72	23.66

HYDRANT ACCESSORIES

Brass Nozzles



Size	Part Number	Price Each
3/4 GHT	BN6	40.00
1 NPS	BN10	45.00
1 1/2	BN15	80.00
2	BN20	119.50

Lexan Nozzles



Size	Part Number	Price Each
3/4 GHT	FNB75GHT	54.54
1 NPSH	FNB100S	72.00
1 1/2 NPS	FNB150S	71.80
1 1/2 NST	FNB150NST	71.80
2 NPS	CFB2015S	84.99

Hydrant Wrench



Part Number	Price Each
HYD189	60.00

Hydrant Adaptor



Size and Thread Female x Male	Part Number	Price Each
2 1/2 FNST x 3/4 GHT	HA2576	47.69
2 1/2 FNST x 3/4 NPT	HA2575T	47.69
2 1/2 FNST x 1 NPT	HA2510T	47.69
2 1/2 FNST x 1 1/2 NPT	HA2515T	47.69
2 1/2 FNST x 2 NPT	HA2520T	47.69
2 1/2 FNST x 2 1/2 NPT	HA2525T	113.08
2 1/2 FNST x 3 NPT	FM25F30T	143.62
3 NPTFx 2 1/2 MNST	FM3025F	138.34

New York City Hydrant Adaptors

Size and Thread Male x Female	Part Number	Price Each
2 1/2 NYFD x 3/4 GHT	HA25NYFD76	60.00
2 1/2 NYFD x 1 NPT	HA25NYFD10T	60.00
2 1/2 NYFD x 1 1/2 NPT	HA25NYFD15T	188.89
2 1/2 NYFD x 2 NPT	HA25NYFD20T	60.00

HYDRAULICS

Aeroquip Matchmate Plus

ID	Part Number	PSI	Price Foot
1/4	EC 115-4	2750	4.80
3/8	EC 115-6	2250	6.26
1/2	EC 115-8	2000	7.00
5/8	EC 115-10	1500	8.80
3/4	EC 115-12	1250	9.00
1	EC 115-16	1000	15.00



Part Number	PSI	Price Foot	Price/Male NPT Installed Per End	Price/Female JIC Installed Per End
EC 215-4	5000	4.96	15.00	18.00
EC 215-6	4000	6.56	16.60	19.75
EC 215-8	3500	7.76	19.50	24.00
EC 215-10	2750	9.30	---	40.50
EC 215-12	2250	9.76	34.00	41.40
EC 215-16	2000	15.84	48.00	66.50

EC 115 One Wire

SAE 100 R17 with medium working pressures. Able to handle various hydraulic and pneumatic tasks.

EC 215 Two Wire

SAE 100 R16 with standard working pressures. Designed for hydraulic applications.

Piercing Arrow Hydraulic Hose



Size	Part	PSI	Price Length
3/4" x 12" Length	EC 215 - 12 x 12	2250	66.00
3/4" x 15" Length	EC 215 - 12 x 15	2250	69.00
3/4" x 25' Length	EC 215 - 12 x 300	2250	292.00
3/4" x 50' Length	EC 215 - 12 x 600	2250	584.00

Hydraulic Hose Crimper



60 ton cylinder.

Common base for bench mounting.

Includes 5 die-sets to crimp thru 1" size.

Two-piece "slide-in" die design for easy installation.

Adjustable coupling stop for accurate, repetitive positioning of assemblies in dies.

Color coded die sets make selection easy. Removable pusher and spring-loaded die set for easy loading.

Crimps through 1 1/4" I.D. 2-wire and 1" through 4-wire hose with all coupling styles including most bent tubes.

1HP, 110V AC Single Phase, 50-60 Hz, Electric Pump.

- Price Each \$13,000
- INCLUDES DIE SETS Thru 1"

Hydraulic Quick Couplings

Industrial Series



Flush Face Series



Size	Working Pressure	5601 Coupler Price/Each	5602 Nipple Price/Each	Size	Working Pressure	FEM371 Coupler Price/Each	FEM372 Nipple Price/Each
1/4	5000#	26.70	12.33	1/4	---	---	---
3/8	4000#	36.54	16.00	3/8	4375#	91.93	50.44
1/2	4000#	36.54	17.18	1/2	4250#	108.22	60.88
3/4	4000#	71.54	36.54	3/4	3650#	243.40	110.90
1	4000#	104.36	56.66	1	3650#	338.00	210.00

POTABLE WATER HOSE

Action Series 620

Potable Water Hose

Clear PVC tube with PVC moderate oil resistant cover. Approved for potable water service NSF61 certified.



ID	Part Number	Working PSI	Price Foot
3/4	62075	150	3.63

Action Series 630

Potable Water Hose

An extremely durable hose for transfer of drinking or other liquids intended for human consumption. FDA approved.



ID	Part Number	Working PSI	Price Foot
2	63020	200	22.00
3	63030	150	37.70
4	63040	150	49.10

Action Series 632

Certified Aqua Guard

Layflat hose designed for the transfer of potable water. Aqua Guard™ is NSF61 certified and features a unique “through-the-weave” one piece construction comprising a circular woven high tenacity polyester reinforcement totally encapsulated in a tough elastomeric polyurethane cover and lining.



ID	Part Number	Working PSI	Price Foot
2	63220	300	17.25
2 1/2	63225	300	18.75
3	63230	300	20.25
4	63240	300	24.75
6	63260	300	39.00

MATERIAL HANDLING HOSE

Action Series 500

Sand Blast Hose

Great for conveying grit and abrasive materials. Static conductive abrasion resistant tube. Assemblies are fabricated with sand blast ASB Series.



ID	OD	Part Number	Working PSI	Price Foot	Price 50 Ft. Coupled
1/2	1 1/16	50050	150	6.08	---
3/4	1 1/2	50075	150	9.52	525.08
1	1 7/8	50010	150	10.70	594.68
1 1/4	2 5/32	50012	150	12.24	711.24
1 1/2	2 3/8	50015	150	14.56	838.36
2	2 7/8	50020	150	21.82	---
1 1/4	1 7/8	500123	150	11.40	---

500123 is a Light Weight Sand Blast Whip Hose



Sandblast Fitting



Nozzle Holder



Pot Connector

Size	Part No.	Price Each	Part Number	Price Each	Part Number	Price Each
3/4	ASB75	27.84	ANH75	37.96	---	---
1	ASB100	31.38	ANH100	39.46	---	---
1 1/4	ASB125	49.60	ANH125	50.58	ASC125	31.00
1 1/2	ASB150	55.18	ANH150	59.26	ASC150	31.00

Sandblast Gaskets

\$1.40 each



MATERIAL HANDLING HOSE

Action Series 505

Twin Line Dead Man Control Hose

Automatically stops flow of media through hose.



ID	Part Number	Working PSI	Price Foot	Price FJIC E/E	Price 1/4 x 1/8 Female Swivel
3/16	50503	200	2.40	130.00	130.00



Adapter

Size	Price Each
1/8	4.00
1/4	4.90
3/16 FJIC	6.60

Action Series 510/515

Plaster and Grout Hose

Rugged durable hose for transferring abrasive products at high pressures. Hoses are assembled with internally expanded couplings for full product flow. Specify NPT Male, victaulic groove or heavy duty raised face.



ID	Part Number	Working PSI	Price Foot	Price 50 Ft. MxM Coupled
----	-------------	-------------	------------	--------------------------

Series 510

1	51010	800	16.00	1050.50
1 1/4	51012	800	18.00	1100.00
1 1/2	51015	800	20.00	1350.00

Series 515

1 1/2	51515	1200	24.40	1410.00
2	51520	1200	28.15	1550.00

Camlock Malleable Iron

ID	PSI	Part A	Part D
1	250	30.12	66.80
1 1/4	250	36.00	68.00
1 1/2	250	46.90	75.24
2	250	66.14	78.00

Part A



Part D



Action Series 516

Concrete Pump Hose

High performance steel reinforced black abrasion resistant tube. Available ends are male NPT, victaulic groove or heavy duty raised face.



ID	Part Number	Working PSI	Price Foot
2	51620	1275	27.40
2 1/2	51625	1275	45.36
3	51630	1275	50.04
4	51640	1275	67.36
5	51650	1275	112.14

Assemblies Available

Action Series 520

Abrasion Suction Hose

Abrasion suction hose. SBR tube and cover handles full vacuum and abrasive materials with internal PVC helix.



***Wire Helix for grounding purposes available on request.**

ID	Part Number	Working PSI	Price Foot
2	52020	40	12.90
3	52030	40	21.78
4	52040	40	35.85
5	52050	30	56.04
6	52060	30	69.20
8	52080	30	115.32

Action Series 530

Abrasion Suction Hose

Urethane tube provides excellent abrasion resistance for dry material with internal PVC helix.



ID	Part Number	Working PSI	Price Foot
3	53030	35	24.72
4	53040	35	40.74
6	53060	30	78.60

MATERIAL HANDLING HOSE

Action Series 540

Cement Discharge Hose

Abrasion resistant static dissipating tube with textile reinforcement for discharging dry products, 3/16 tube.



1/8" - 1/4" Tube Thickness Available

ID	Part Number	Working PSI	Price Foot	Price/20Ft Coupled CxC
4	54040	50	27.46	687.60

Action Series 550

Hot Air Blower Hose

Designed for intermittent service up to 350° F.



ID	Part Number	Working PSI	Price Foot	Price Part C Installed
3	55030	150	22.06	66.16

Action Series 570

Hot Tar Pumping Hose

Flexible hose used to transfer hot tar from road kettles.



ID	Part Number	Working PSI	Price Foot
3/4	57075	300	16.60
1	57010	300	22.12

Action Series 580

Twin Welding Hose

One braid construction red and green grade R SBR tube and cover. Coupled Female E/E.



ID	Part Number	Working PSI	Price Length
1/4 x 25	5802525	200	62.00
1/4 x 50	5802550	200	104.00
1/4 x 100	58025100	200	208.00

Action Series 593

Spray Paint Hose

Lightweight spraying hose with female NPT hose ends and spring guards.



ID	Part Number	Price Length
1/4 x 25'	5932525	110.00
1/4 x 50'	5932550	166.00
1/4 x 100'	59325100	222.00

Action Series 596

Industrial Vacuum Hose

Crush resistant flexible hose. Cuffs sold separately.



ID	Part Number	Price Foot	Cuffs
1 1/4	59612	5.85	14.00
1 1/2	59615	6.68	14.00
2	59620	8.18	16.00
3	59630	18.10	24.00
4	59640	22.40	40.00

MATERIAL HANDLING HOSE

Action Series 598 P & 598 U

Mulch Blowing Hose

598 P Clear PVC compound with red rigid helix.

598-U Clear urethane compound with black helix.



ID	Style	Part Number	Price Foot
4	PVC	598 P	18.00
4	Urethane	598 U	36.60

Action Series 647

Urethane Vacuum Hose

Steel coated wire helix.



ID	Part Number	Price Foot	Cuffs
1 1/2	64715	7.00	14.00
2	64720	8.26	16.00

Gasoline Fuel Hose and Accessories

Action Series 585

Gasoline Pump Hose

UL330/UL softwall pump hose with a conductive NBR/PVC cover. Use for diesel, leaded or unleaded fuels.



ID	Part Number	Working PSI	Price Foot	Price Males Each End
3/4	58575	150	6.00	66.00
1	58510	150	10.24	78.00

Action Series 590

Fuel Oil Delivery Hose

Nitrile tube and abrasion resistant neoprene/PVC cover. Standard Length 150'.



ID	Part Number	PSI	Price Foot	Price Male Scovill Installed	Price Female Scovill Installed
1	590100	250	12.90	43.00	59.00
1 1/4	590125	250	15.00	65.00	82.00
1 3/8	590138	250	13.44	66.16	105.46
1 1/2	590150	250	15.88	66.16	108.04
2	59020	250	16.90	95.00	157.90



Fuel Nozzles		Live Swivel	Dual Plane Swivel	Breakaways	Fuel Delivery Nozzle 1 1/2"	
Size	Price					
3/4" Gas	198.95	DAWS34	83.00	113.74	110.53	580.34
3/4" Diesel	198.95	---		---	---	
1" Diesel	341.06	DAWS10	129.26	221.38	230.22	

Push-On Hose

Action Series 175

Push-On Hose

Black Nitrile, oil resistant rubber tube, single ply of neutral-angle braided fiber. Neoprene oil resistant rubber cover. Recommended for air, water or low pressure hydraulic service.



ID	Part Number	Working PSI	Price Foot	Brass Male Price/Ea
1/4"	17525	300	2.90	4.40
3/8"	17538	300	3.40	6.65
1/2"	17550	300	4.38	11.20
5/8"	17558	300	6.84	19.20
3/4"	17575	300	9.40	19.70

PRESSURE WASHER HOSE AND ACCESSORIES

Action Series 400

High Pressure Water Hose Assemblies made with male NPT x Male swivel NPT. Quick disconnect couplings are available to join several hoses together.



ID	Part Number	Working PSI	Price 50 Ft. Length	Price Set Quick Couplings Installed	
1/4	40025	3000	130.80	24.00	Brass
3/8	40038	4000	146.00	30.00	Brass
3/8	40040	5800	220.00	60.00	Stainless
1/2	40050	3500	380.00	130.00	Stainless



STFC



STFP



STMC



STMP

ID	STFC	STMC	STFP	STMP	STFC SS	STFP SS
1/4	13.54	13.54	3.96	3.96	60.00	24.54
3/8	16.30	16.30	6.20	6.20	36.00	24.00
1/2	23.50	23.50	8.76	8.76	89.44	47.10

Multi-Pack High Pressure Spray Nozzles

1/4" quick connect nozzle multi-packs include 0° red, 15° yellow, 25° green, 40° white, and 50° black soap nozzles. (5/Pack)



Part Number	Nozzle Sizes	Price
NZMQC5P	3.0-8.0	56.42

Multi-Pack High Pressure Spray Nozzles

1/4" quick connect nozzle multi-packs include 0° red, 15° yellow, 25° green, 40° white, and 65° black nozzles. (4/Pack)



Part Number	Price Each
MSP4PAK	72.00

Molded Grip Extensions

For use with HPSG, spray gun. Operating Pressure: 5000 PSI. Temperatures to 300° F. Maximum GPM: 10.5

AL323



AL324



AL325 & AL326



Part Number	Size	Price
AL323XX	1/4" - 24"	25.70
AL324XX	1/4" - 36"	29.64
AL325XX	1/4" - 48"	51.76
AL326XX	1/4" - 69"	57.60

Karcher Metric Swivel & Plug



AL450



AL453



AL454



AL456

Part Number	Size	Price
AL450	1/4" Female x 22 mm	19.40
AL453	3/8" Female x 22 mm	19.94
AL454	1/4" Female x 22 mm	12.64
AL456	3/8" Female x 22 mm	15.84

Pressure Spray Gun

3/8" female inlet 1/4" female outlet
8 GPM Operating pressure: 4500 PSI
Temperatures to 300° F



Part Number	Price Each
HPSG	83.84

PVC HOSE & TUBING

Action Series 600

Clear FDA Tubing

Compounded from non-toxic crystal clear PVC ingredients to meet applicable FDA regulations.




ID/OD	Part Number	Price Foot
1/8 x 1/4	600204	.40
1/4 x 3/8	600406	.60
1/4 x 1/2	600408	1.44
5/16 x 7/16	600507	.76
3/8 x 1/2	600608	.88
3/8 x 5/8	600610	2.04
1/2 x 5/8	600810	1.04
1/2 x 3/4	600812	2.24
5/8 x 7/8	601014	2.80
3/4 x 1	601216	3.08
1 x 1 1/4	601620	4.00
1 1/4 x 1 1/2	602024	4.84
1 1/2 x 1 7/8	602430	8.80

Action Series 610

Clear Braided Tubing

Formulated with FDA approved resins. Reinforced with polyester yarn for increased working pressure.



ID	Part Number	Working PSI	Price Foot
1/4	61004	250	.96
5/16	61005	200	1.12
3/8	61006	200	1.32
1/2	61008	200	1.80
5/8	61010	200	2.24
3/4	61012	150	2.88
1	61016	125	4.12
1 1/4	61020	100	7.54
1 1/2	61024	100	13.10
2	61032	75	18.54

Action Series 280

Clear Polyspring Hose

Steel wire reinforced. Transparent PVC for fluid applications. FDA Approved.



ID	Part Number	Price Foot
1/4	28025	1.90
3/8	28038	2.34
1/2	28050	3.06
3/4	28075	4.92
1	28010	6.34
1 1/4	28012	9.60
1 1/2	28015	11.20
2	28020	16.18

UNIVERSAL COUPLINGS & ACCESSORIES



Size	Hose End		Female End		Male End		Clamps	
	Part Number	Price	Part Number	Price	Part Number	Price	Part Number	Price
1/4	---	---	FE025	8.00	ME025	8.00	---	---
3/8	HE038	8.00	FE038	8.00	ME038	8.00	CD	14.20
1/2	HE050	8.00	FE050	8.00	ME050	8.00	A-4	14.00
3/4	HE075	8.00	FE075	8.00	ME075	8.00	A-9	14.42
1	HE100	10.50	FE100	10.50	ME100	10.50	A-10	18.54
1 1/4	HE125	36.00	FE125	36.00	ME125	---	B-14	28.08
1 1/2	HE150	36.00	FE150	36.00	ME150	---	BU-24	46.66
2	HE200	44.00	FE200	44.00	ME200	---	BU-29	55.34

Domestic Fittings Available Upon Request



TWC	AMO	HJMVAL	Washers AWR-4 (50/Bag)	Clips AC1 (25/Bag)	Jackhammer Grips	Size	Price
16.00	12.00	124.00	48.48	12.88	Grip Small	1 1/4 x 3 15/16	6.00
					Grip Large	1 7/16 x 3 9/16	6.00

LUBRICATORS & LUBRICANTS

IN-LINE LUBRICATORS



Part Number	Oil Capacity	Max PSI	Airflow at 70 PSI	FPT Port	Price Each
PL300	1.4 Fluid Ozs.	500	30 SCFM	1/2	153.00
PL400	3.7 Fluid Ozs.	200	70 SCFM	3/4	160.00
PL400L	11 Fluid Ozs.	300	70 SCFM	3/4	198.00
PL500	16 Fluid Ozs.	250	100 SCFM	1	264.00

AIR TOOL LUBRICANTS

#10 Weight Lubricant to prolong service life of tool. Winter grade contains anti-freeze. Available in pint or gallons.

*Winter Grade



Part Number	Price
DATL016	23.28
DATL128	108.18
*DATL016W	37.45
*DATL128W	242.76

SAFETY WHIPCHECKS



Part Number	Hose Range	Length	Cable Diameter	Price Each
WB1	1/2-1 1/4	20	1/8	22.00
WB3	1/2-2	28	3/16	33.75
WA2	1 1/2-3	38	1/4	36.00
WA4	4	44	3/8	78.00

COUPLINGS & ACCESSORIES



Pin Lug			Washers		Combination Nipples		Spanner Wrench	
Size	Part Number	Price Set M x F	Part Number	Price Each	Part Number	Price	Part Number	Price
1 1/2	CAB150	18.63	KRW20	.82	STC20	9.00	SW15	9.00
2	CAB200	27.60	KRW25	1.06	STC25	13.40	SW20	13.64
2 1/2	CAB250	49.96	KRW30	1.21	STC30	22.00	SW25	15.06
3	CAB300	57.57	KRW35	1.21	STC35	28.80	SW30	17.16
4	CAB400	99.50	KRW40	1.94	STC40	40.66	SW40	20.00
6	CAB600	217.00	KRW60	5.24	STC60	111.00	SW60	111.00
NST								
1 1/2	CAB150N	39.87	KRW2075	2.22	Combination Nipples sizes available starting at 1/4". Please call for price.			
2 1/2	CAB250N	76.99	KRW3075	4.66				



Size	Long Hole Strainer		Round Hole Strainer		Square Hole Strainer		Top Hole Skimmer		Bottom Hole Skimmer		Foot Valve	
	Part Number	Price	Part Number	Price	Part Number	Price	Part Number	Price	Part Number	Price	Part Number	Price
1 1/2	RSS20	30.08	RHS20	21.50	SHS20	21.50	DST20	81.00	DSB20	81.00	FV20	46.00
2	RSS25	47.54	RHS25	27.00	SHS25	27.00	DST25	91.50	DSB25	91.50	FV25	68.00
2 1/2	RSS30	48.00	RHS30	40.00	SHS30	40.00	---	---	---	---	FV30	92.00
3	RSS35	65.96	RHS35	38.00	SHS35	38.00	DST35	204.00	DSB35	204.00	FV35	108.68
4	RSS40	65.96	RHS40	48.98	SHS40	48.98	---	---	---	---	FV40	199.28
6	---	---	RHS60	---	SHS60	104.00	---	---	---	---	FV60	432.26

Bauer Style Type B



Size	Male w/ Hose Shank	Female w/ Hose Shank	Male w/Male NPT	Female w/ Male NPT	Male w/ 150# ASA Flange	Female w/ 150# ASA Flange	Rubber Gaskets
2"	46.20	21.40	78.60	44.02	---	---	3.45
3"	79.00	33.00	116.78	57.57	---	---	4.80
4"	140.04	57.00	197.25	95.62	391.23	274.10	7.45
6"	238.85	101.90	365.63	169.10	605.18	386.18	16.30
8"	455.23	195.58	704.26	355.00	996.29	645.00	34.08
10"	1016.86	404.90	---	---	1721.38	1026.80	40.62
12"	1327.48	581.30	---	---	2296.56	1482.46	74.08

COUPLINGS & ACCESSORIES

Cam Lock Couplings



Size	Part A	Part B	Part C	Part D	Part E	Part F	Dust Cap	Dust Plug	Rubber Gaskets
1 1/4	13.39	27.72	26.39	28.86	13.00	16.06	23.86	9.66	1.61
1 1/2	9.73	23.29	22.42	21.96	11.20	11.73	21.69	9.43	1.79
2	10.40	24.22	25.92	25.69	14.23	13.10	21.06	11.20	1.61
2 1/2	24.89	44.08	43.85	44.85	27.42	30.35	35.19	16.59	1.91
3	21.06	40.12	39.84	42.65	25.79	28.76	39.15	18.83	2.00
4	33.12	56.48	62.18	57.61	42.55	42.17	49.55	29.75	2.58
6	86.90	156.64	184.96	166.30	134.21	109.19	142.51	75.94	6.42
8	402.79	---	565.58	---	405.26	---	---	---	27.36

Reducers, Spools, Flanges, Adapters



Size	Part Number	DA	AA	DD	DLAL	ALAL
1 1/2"	150	-	40.00	71.10	-	-
1 1/2" x 2"	1520	84.70	-	-	-	-
2"	200	-	43.50	84.00	213.44	170.34
2" x 1/2"	2015	66.50	-	-	-	-
2" x 3"	2030	79.50	74.00	120.00	-	-
2" x 4"	2040	124.70	-	-	-	-
2 1/2"	250	-	108.00	-	-	-
3"	300	-	70.00	95.50	296.27	162.25
3" x 1 1/2"	3015	99.50	-	-	-	-
3" x 2"	3020	94.50	-	-	-	-
3" x 2 1/2"	3025	133.00	-	-	-	-
3" x 4"	3040	120.70	-	122.60	-	-
4"	400	-	98.50	132.40	241.00	171.50
4" x 2"	4020	143.00	-	-	-	-
4" x 3"	4030	143.50	-	-	-	-
4" x 6"	4060	206.10	-	-	-	-
6"	600	-	120.00	212.00	453.00	262.90
6" x 3"	6030	217.80	-	-	-	-
6" x 4"	6040	203.10	-	-	-	-
8" x 6"	8060	1,164.00	-	-	-	-

Other sizes available upon request.

TOOLS, VALVES & CLAMPS

Center Punch Clamps



Size	Part	Quantity	Price
13/16	CP3	100	1.66
1	CP4	100	1.98
1 1/4	CP5	100	1.94
1 1/2	CP6	100	2.42
1 3/4	CP7	100	2.28
2	CP8	100	2.66
2 1/4	CP9	100	2.50
2 1/2	CP10	50	3.04
2 3/4	CP11	50	3.04
3	CP12	50	3.42
3 1/2	CP14	50	3.50
4	CP16	25	3.90
4 1/2	CP18	25	4.30
5	CP20	25	4.42
7	CP28	25	6.70

Center Punch Tools



T300 \$330.00



F40 \$210.00

Ball Valves




Size	Part	Price
1/4	FBV25	18.10
3/8	FBV38	18.10
1/2	FBV50	18.10
3/4	FBV75	28.00
1	FBV100	44.00
1 1/4	FBV125	102.00
1 1/2	FBV150	110.00
2	FBV200	124.10
2 1/2	FBV250	372.00
3	FBV300	396.00
4	FBV400	466.00

Also Available in Stainless Steel


Safety Check Valves



Flow Direction →



Check Valve in Open Position



Check Valve in Closed Position

NPT and Hose ID Size	Part Number	Cut-Off Flow Rate (SCFM at 90 PSI)	Price Each	NPT and Hose ID Size	Part Number	Cut-off flow Rate (SCFM at 90 PSI)	Price Each
1/4	SCV_2	23-29	99.50	1	SCV_8	260-290	179.36
3/8	SCV_3	39-47	100.32	1 1/4	SCV_10	300-340	370.45
1/2	SCV_4	52-65	100.20	1 1/2	SCV_12	440-500	621.39
3/4	SCV_6	70-78	158.62	2	SCV_16	570-630	848.46

Please Supply SCFM for Proper Cut Off

Quick Opening Brass Lever Valve

Horizontal Swing Check Valve

22-25 PSI Rating available in sizes 2-6 inches. Durable brass construction.



ID	Part	Price
2	LV200	297.00
3	LV300	510.00
4	LV400	573.00
6	LV600	930.00



ID	Price
1 1/2	79.14
2	123.95
2 1/2	288.00
3	328.68

Air Chief Quick Disconnect Fittings




1/4 Female Socket	1/4 Female Plug	1/4 Male Plug	3/8 Male Plug	3/8 Female Socket	3/8 Female Plug	1/2 Female Socket	1/2 Female Plug
DC20	DCP 20	DCP21	DCP25	DC26	DCP26	DC10	DCP18
16.20	4.66	4.00	6.66	32.32	8.20	44.64	14.99

Bent Stem Swivels



ATS 7879 M	ATS 7839F	ATS 7812H	ATS 1212H
3/8 Male NPT x 7/8 24 Thread	3/8 Female NPT x 7/8 24 Thread	1/2 Hose Shank x 7/8 24 Thread	1/2 Hose Shank x 1/2 NPT Thread
67.60	101.20	67.60	67.60

Hose Menders



Smooth



Interlocked

Size	Smooth	Price	Interlocked	Price
1/2	DM1	10.50	M1	20.00
3/4	DM6	13.45	M6	25.60
1	DM11	10.50	M11	40.00
1 1/4	DM16	17.18	M16	33.34
1 1/2	DM21	17.45	M21	29.32
2	DM26	28.33	M26	53.33
2 1/2	DM31	46.36	M31	103.32
3	DM36	42.60	M36	109.99
4	DM46	73.50	M46	---
6	DM66	157.40	M66	---

Black & Galvanized Malleable Iron Fittings

Meets or exceeds all applicable ASTM and ANSI standards. UL and FM approvals on Chinese Malleable Fittings. Stocked from 1/8" through 6" diameters. 100% pressure tested before leaving the factory



Reducer Bushing



Elbows



Couplings



Bell Reducer



Plugs



Caps



Tees



Street Elbow 90°

Merchant Steel Couplings

Meets or exceeds all applicable ASTM, ANSI Merchant Couplings stocked 1/8" - 6" diameters




Please Call For Pricing

FLEXIBLE DUCTING

Action Series 650

RFH Thermoplastic Ducting

A general purpose lightweight hose to transfer fumes, air, woodchips, and other medias. Wire helix reinforced for vacuum service.



Size	Part Number	Price Foot
2	65020	8.50
3	65030	12.64
4	65040	16.40
5	65050	17.40
6	65060	19.16
7	65070	21.90
8	65080	24.68
10	650100	34.24

Action Series 660

Manhole Blower Hose

A wide pitched wire helix hose to provide fresh air to manholes. Each hose assembly has a cuff and buckle on one end. Larger sizes available on request (thru 48").



Size	Part Number	Price 15 FT	Price 25 FT
8	66080	270.00	360.00
12	66012	--	528.00
16	66016	--	634.00

Action Series 662

Heater Ducting

Temperatures to 350° F Insulated heater duct temperature to 500° F Both styles have cuff on one end with buckle inter-connecting hoop on other end. Standard length 25'.



Size	Part Number	Standard 350°F	High Temp 500°F
12 x 25	66212	530.00	884.00
16 x 25	66216	729.00	1024.00
20 x 25	66220	863.00	1404.00
24 x 25	66224	1051.00	1554.00

Silicone Heater Hose

Action Series SILI

Silicone Heater Hose 1 Ply Nylon Reinforced.

Meets the SAE J20R3 Class A. Temperature range is -65° F. to 350° F. Hose is ideal for use in hostile engine environments. They are resistant to temperature and various pressure ranges.



ID	Part Number	PSI	Price Foot
1/4	SILI25	125	4.22
3/8	SILI38	125	4.72
1/2	SILI50	125	6.12
5/8	SILI625	125	6.86
3/4	SILI75	125	7.24

MUNICIPAL PRODUCTS

Leaf Collection Hose

Action Series 665

Rubber Leaf Collection Hose

EPDM rubber, polypropylene helix, smooth bore for higher laminar flow. Extra heavy-duty safety yellow helix for high visibility and superior external abrasion for dragging applications.



ID	Part Number	Price Foot
6	66560	32.52
8	66580	47.20
10	66510	57.60
12	66512	78.40

Action Series 670

Urethane Collection Hose

A heavier hose designed to handle leaves and light debris. Sizes 16 and 18 are clear urethane construction with a .060 wall. Sold in 10' lengths.



ID	Part Number	Price 10' Length
6	67060	420.00
8	67080	504.00
10	67010	732.00
12	67012	801.60
14	67014	976.00
16	67016	1220.20
18	67018	1410.00

Action Series 680

Catch Basin Leaf Suction Hose

Designed to handle leaves and debris. Corrugated tube and cover for flexibility.



ID	Part Number	Length	Price Length
12	6801236	36"	990.00
12	6801284	8'4"	1810.00
12	6801210	10'	2110.00
14	6801436	36"	1050.00
16	6801610	10'	2400.00
18	6801810	10'	2900.00

Sewer Cleaning Hose

Action Series 450

High Pressure Sewer Cleaning Hose

Thermoplastic tube and cover for high pressure jetting. Assemblies have male NPT at each end. Higher pressures and special lengths available.



ID	Part Number	Working PSI	Length	Price Length
1/4	45004	4000	200'	438.00
3/8	45006	4000	200'	642.00
1/2	45008	4000	200'	1296.00
1/2	45008	4000	500'	3600.00
3/4	45012	2500	500'	3910.00
1	45016	2500	500'	4275.00
1 1/4	450125	2500	500'	6000.00


MUNICIPAL PRODUCTS

Snow Plow Blades

High Density Snow Plow Blades

Thickness	Part Number	Width	Weight Foot	Price Foot
1	SP610	6"	4.5	42.00
1	SP810	8"	5.0	48.00
1 1/2	SP815	8"	6.5	66.00
1 1/2	SP1015	10"	8.0	75.00
1 1/2	SP1215	12"	9.5	97.32

*Pricing Shown Above for Tensile Strength of 2400 PSI.
1000 PSI Tensile Available. Please Call for Price.



Deflector Rubber

Reinforced Rubber to be installed on top of plow to prevent snow spray on windshield.



Thickness x Width	Price Foot
3/8 x 8" wide	13.20
3/8 x 10" wide	16.60
3/8 x 12" wide	19.80



MUNICIPAL PRODUCTS

Spreader Curtian

Reinforced rubber to be installed on the sides of dump trucks to prevent spillage of salts and sand into truck bodies. Spreader curtains can also be installed on the back of the truck to prevent salt and sand on the axle.



Thickness	Width	Price Foot
Approximately 1/4	24"	33.12
Approximately 1/4	36"	49.90
Approximately 1/4	48"	66.54

Hose Ramps

Custom Polyurethane Hose Ramps

Safety orange color, traction cleats on ramp surfaces.


STYLE BT1 Single 3 x 3 tunnel protects hose lines. Several sizes and styles available. Please call with your specifications.

Dimensions: 4" High x 23 1/2" wide
Lengths 2', 3', 4' \$201.00/Foot




Conveyor Belting

Product offerings include Black Heavy Duty, Solid Woven PVC, Food Grade, Incline Belting, Package Handling, Light Duty, Rough Top Thermoplastic, and Urethane Belting.



GASKETS & SHEET RUBBER

Full rolls, cut length or custom gaskets fabricated from neoprene, nitrile, viton, hypalon, pure gum, and many additional styles.



Size	Neoprene 60 Duro		CI Sheet 2 Plies	Red Rubber	Skirtboard	Closed Cell Sponge	1/8 Full Face Red Rubber Gasket	
	36"	48"	48" width	36" width	48" width	42" width	150 lb.-Price/Ea.	
1/16	6.34	8.64	12.75	7.96	---	8.80	1 1/2	2.40
1/8	12.68	16.90	34.08	16.00	---	11.88	2	3.12
3/16	20.80	27.73	39.12	23.46	---	19.20	2 1/2	4.08
1/4	25.60	35.20	66.54	29.58	37.77	23.52	3	4.80
3/8	41.58	58.23			56.67	31.20	4	6.24
1/2	64.00	84.00			75.57	45.60	6	7.92
5/8	---	---			---	75.60	8	12.00
3/4	96.00	128.00			113.31	90.00	10	14.40
1	130.00	170.00			151.05	96.00	12	20.25

* All Prices For Roll Material Is Per Linear Foot.

O-RINGS

Various elastomers available. Cross-section (width) is critical for determining proper sizes. All durometer available.



O-Ring Kit

Includes 328 70 durometer BUNA-N-O-RINGS, 30 different sizes from -006 to -327. Supplied in a red ABS case.

\$112 each



O-Ring Splicing Kit


For On-The-Job Repairs Kit Contains 12 Pcs. of O-Ring Cord, Razor, Cutting Jig and Rapid Set Abrasive

\$122 each

CORRUGATED MATTING, HONEYCOMB MATTING

Groove style. Provides floor protection in entrances and hallways.

*Call for pricing on Switch Board Matting and other matting styles.



Thickness	Width	Roll Size	Price Foot	Color
1/8	36"	75'	14.79	Black
1/8	48"	75'	20.10	Black
5/8	N/A	36" x 36"	88.00	Black
5/8	N/A	36" x 36"	112.00	Red

Contents

Product	Page	Product	Page	Product	Page	Product	Page
Air Chief Quick Disconnect	22	Garden Hose	10	Matting	27	Reducer Fittings	22
Air Hose	3 - 5	Garden Hose Fittings	10	Menders	22	Sand Blast Fittings	12
Air Tool Lubricants	18	Gasoline Hose	15	Mill Hose	8	Sand Blast Hose	12
Ball Valves	21	Grips	18	Nozzles, Fuel	15	Sewer Cleaning Hose	24
Bauer Style Type B Coup.	19	Heater Ducting	23	Nozzles, Water	10,15,16	Sheet Rubber	27
Cam Lock Couplings	20	Hi-Vac Suction Hose	6	O-Rings	27	Shop Air Lines	3
Cement Discharge	14	Hose Ramps	26	Oil Resistant Air Hose	3,5	Skimmers	19
Check Valves	21	Hot Air Blower Hose	14	Oil Suction Hose	7	Snow Plow Blades	25
Clamps, Clamping Tools	21	Hot Tar Hose	14	Paint Spray Hose	14	Spanner Wrench	19
Clear Suction Hose	6 - 7	Hydrant Adapters	10	Piercing Arrow Hydraulic	11	Spreader Curtains	26
Concrete Cutter Hose	10	Hydrant Wrench	10	Pin Lug Couplings	19	Strainers	19
Concrete Pump Hose	13	Hydraulic Hose	11	Plaster Hose	13	Suction Hose	6, 7, 13
Conveyor Belting	26	Hydraulic Hose Crimper	11	Pneumatic Assemblies	3	Swing Check Valves	21
Deflector Rubber	25	In-Line Lubricators	18	Potable Water Hose	12	Universal Couplings	18
Discharge Hose	8,9,14	Industrial Vacuum Hose	14	Pressure Washer Hose	16	Urethane Suction Hose	7,15,24
Ducting, Air, Manhole	23	Jack Hammer Hose	3	PVC Air Hose	5	Vapor Recovery Hose	7
Fire Hose	9	Jetting Hose	9	PVC Discharge Hose	8	Water Hose	6,8,10,12,15,16
Flanges Steel	22	Karcher Swivel/Plug	16	PVC Suction Hose	6,7,13	Welding Hose	14
Flexible Ducting	23	Leaf Suction Hose	24	PVC Tubing	17	Whip Checks	18
Foot Valves	19	Lever Valves	21	Quick Disconnect Coup	3,11,16	Whip Hose	3
Fuel Delivery Hose	15	Manhole Blower Hose	23	Red PVC Discharge Hose	8	Wire Braid Air Hose	3,4

Action Rubber and Industrial Supply Inc.
 140 Woodland Avenue
 Rochelle Park, NJ 07662

